

SNAPBACK SPRAY BUFF LIQUID

National Fire Protection Association (NFPA)	Fire Hazard	Hazardous Material Information System (HMIS)	Health	1
	Reactivity		Fire Hazard	2
	Specific Hazard		Reactivity	0
Protective Clothing	None required.		Emergency Overview	Opaque Off-white. Liquid. See Section 9. CAUTION: May be mildly irritating to eyes. May be mildly irritating to skin. COMBUSTIBLE. Aspiration into the lungs may cause chemical pneumonitis.

Section 1. Chemical Product and Company Identification			
Product Name	SNAPBACK SPRAY BUFF LIQUID	Code	4116
Product Use	Industrial/Institutional: Floor care.	PMS#	433050
MSDS#	114110008	Validation Date	3/26/2004
U.S. Headquarters	Canadian Headquarters	Print Date	3/26/2004
JohnsonDiversey, Inc. 8310 16th Street Sturtevant, Wisconsin 53177-0902 Phone: (888) 352-2249 MSDS Internet Address: www.johnsondiversevy.com	JohnsonDiversey - Canada, Inc. 2401 Bristol Circle Oakville, Ontario L6H 6P1 Phone: 1-800-668-3131	Supersedes In Case of Emergency	No Previous Validation (800) 851-7145

Section 2. Composition and Information on Ingredients				
Ingredients	CAS #	% by Weight	Exposure Limits	LC50/LD50
Sorbitan Monooleate	1338-43-8	1-5	Not available.	Not available.
Diethylene Glycol Ethyl Ether	111-90-0	1-5	AIHA WEEL (United States, 2003). Notes: TWA: 25 ppm 8 hour(s).	ORAL (LD50): Acute: 3620 mg/kg [Rabbit].
Alkylphenoxy Polyethoxyethanol	26027-38-3	1-5	Not available.	ORAL (LD50): Acute: 1300 mg/kg [Rat]. 1980 mg/kg [Rat]. 2500 mg/kg [Rat].
Isoparaffinic Hydrocarbon Solvent	64742-48-9	10-30	Not available.	Not available.
Water	7732-18-5	60-100	Not available.	Not available.

Section 3. Hazards Identification	
Routes of Entry	Inhalation. Skin contact. Eye contact.
Potential Acute Health Effects	<p>Eyes May be mildly irritating to eyes.</p> <p>Skin May be mildly irritating to skin.</p> <p>Inhalation May be irritating to nose, throat, and respiratory tract.</p> <p>Ingestion Aspiration during ingestion or vomiting can result in serious lung damage. May be irritating to mouth, throat and stomach.</p>
Medical Conditions Aggravated by Overexposure:	Persons with pre-existing skin disorders may be more susceptible to irritating effects.
See Toxicological Information (section 11)	

Section 4. First Aid Measures

Eye Contact	Flush immediately with plenty of water. Get medical attention if irritation occurs.
Skin Contact	Flush immediately with plenty of water. Get medical attention if irritation occurs.
Inhalation	If breathing is difficult: Remove to fresh air. Get medical attention.
Ingestion	Do not induce vomiting! Immediately drink plenty of water. Never give anything by mouth to an unconscious person. Get medical attention immediately.

Section 5. Fire Fighting Measures

Flammability of the Product	COMBUSTIBLE.
Flash Points	CLOSED CUP: 67°C (152.6°F).
Products of Combustion	None known.
Fire Fighting Media and Instructions	Use water spray to keep fire-exposed containers cool. Dry chemical, carbon dioxide.
Protective Clothing (Fire)	Put on appropriate personal protective equipment (see Section 8).
Special Remarks on Fire and Explosion Hazards	Material may burn in heat of fire.

Section 6. Accidental Release Measures

Personal Precautions	Put on appropriate personal protective equipment (see Section 8).
Environmental Precautions and Clean-up Methods	Eliminate all ignition sources. In the event of major spillage: Use appropriate containment to avoid environmental contamination. Take up with sand or other non-combustible material. Place in suitable clean, dry containers for disposal by approved methods.

Section 7. Handling and Storage

Handling	Avoid contact with eyes, skin and clothing. Do not taste or swallow. Avoid breathing vapors or spray mists. Wash thoroughly after handling. Use only in well-ventilated areas. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.
Storage	Store in a dry, cool and well-ventilated area. Protect from freezing. Keep away from heat, sparks and flame. KEEP OUT OF REACH OF CHILDREN.

Section 8. Exposure Controls/Personal Protection

Engineering Controls	No special ventilation requirements. General room ventilation is adequate.
Personal Protection	
<i>Eyes</i>	No special requirements under normal use conditions.
<i>Hands</i>	No special requirements under normal use conditions.
<i>Respiratory</i>	No special requirements under normal use conditions.
<i>Feet</i>	No special requirements under normal use conditions.
<i>Body</i>	If major exposure is possible, wear suitable protective clothing.

Section 9. Physical and Chemical Properties

Physical State and Appearance	Liquid.
Odor	Mild.
Color	Opaque Off-white.
pH	7.9 to 8.8 [Basic.]
Specific Gravity	0.97
Solubility in water	Dispersible.

Section 10. Stability and Reactivity

Stability and Reactivity	The product is stable.
Conditions of Instability	Excessive heat.
Incompatibility with Various Substances	Reactive with oxidizing agents.
Hazardous Decomposition Products	When exposed to fire: Produces normal products of combustion.
Hazardous Polymerization	Will not occur.

Section 11. Toxicological Information

Acute toxicity	ORAL (LD50) Greater than 5000 mg/kg (rat).
Effects of Chronic Exposure	None known.
Other Toxic Effects	Not available.

Section 12. Ecological Information

Not available.

Section 13. Disposal Considerations

Waste Information	No special precautions. Dispose of according to all federal, state and local regulations.
--------------------------	---

Section 14. Transport Information

DOT Classification	
DOT Proper Shipping Name:	Cleaning, washing, buffing or polishing compounds, Liquid.
TDG Classification	
TDG Proper Shipping Name:	Cleaning, washing, buffing or polishing compounds, Liquid.

Section 15. Regulatory Information

Reporting in this section is based on ingredients disclosed in Section 2	
US Regulations	<p>Federal SARA 302/304/311/312 hazardous chemicals: Diethylene Glycol Ethyl Ether SARA 311/312 MSDS distribution - chemical inventory - hazard identification: Diethylene Glycol Ethyl Ether SARA 313 toxic chemical notification and release reporting: Diethylene Glycol Ethyl Ether CERCLA: Hazardous substances.: Diethylene Glycol Ethyl Ether</p> <p>State New Jersey spill list: Diethylene Glycol Ethyl Ether New Jersey: Diethylene Glycol Ethyl Ether Pennsylvania RTK: Diethylene Glycol Ethyl Ether</p> <p>This product is not subject to the reporting requirements under California's Proposition 65.</p> <p>Registered Product Information Not applicable.</p>
Canadian Regulations	<p>Canadian NPRI Canadian NPRI: Alkylphenoxy Polyethoxyethanol.</p> <p>WHMIS Classification CLASS B-3: Combustible liquid with a flash point between 37.8°C (100°F) and 93.3°C (200°F).</p>

